


In Helwetia Corniola.

Carinthia

Hp. noric. carn. dikar. Joerdon Länkerng MISSOURI BOTANICAL copyright reserved GARDEN



Ho Flook A-z. 1857 Ehrhordon, Schin. parvelus Schowing Sellow - Spruce Blancher gandner - i veg similær to myplant, New January Vandie, Freedom, Deen to be the same Lautaren, Spine it ephemenn. Sømere i more slænder e entt fi fri also? And orientet, Tweed'e, is probably the former, fencellen though the leaves an num tike the latter is hort I warm Rond races groleres as - fort huith, Ah, nuttell! ellerun sostate Mutt, vendignis Min Allaures Berlandier 2426 = 992 a namer leaver form Schoun's Logel Texas Smul II. 421 2 II. 422 [ha mow form) ~ __ A, 295. 7 Lin Sh. 714 Sezikani giganter gannen mrs. His Nov 1860. & 700 leiges von large; habeit of hombins; 12" vitirillete flory, brukj blevet stapen - brauch, endit a hongoly braits law resolut and to break sounds 3" nov gand it sentings Nifer leaf namme e guite smooth - file younger, no fris MISSOURI BOTANICAL

copyright reserved

GARDEN


6" Garden 2000 mag also be differet. your Ganden 2739 is still more omble vestirte miltiflow, but petitelly Brugil Blanchet 3153, some evert simple 5" polsells espabersonet. 1/2 - 2 feet Junhan 1861 is pindally the Jame Kende Bystanis virgate Hook & Am. Bot Beaches mexika witt smell recomme heart portale veg punler fris. Lenten Chagres 475 is probebly the same 7" Misima Andreiensi Horten B. Beecher p. 311
enstövel hend, vertriller lande leaves! Thehuauteper Andrium Mg1 Miana Schoudingh 565 Drasil Gandon 1862 is sinstan scape Sleen end, somety simple - bruth slow gute scholate, longer than the vertice MISSOURI

BOTANICAL copyright reserved cm GARDEN

Jan A. But we Talling Alisine Gardifolie L. is i helest like a læge sostsatum. brunked pansalite some - only 3 pl. - ventisell no loose flowered, - zog fit with long sostrum Dunasmilun D, stellutum Lyon Twikenham Haunslow Healt. Endhund! Man; eleggna. D' Dourgaei Conon Spaci Junis. (not · Istinit (Hook) D'austrile Salvis. M. Holle, Urboni (ver smell pris hears mille, Sment, et De California Tom. Hartweg 2015 Ajalon MISSOURI BOTANICAL copyright reserved

GARDEN

MISSOURI BOTANICAL GARDEN GEORGE ENGELMANN PAPERS MISSOURI 7 8 9 10 copyright reserved BOTANICAL cm GARDEN



0 1 2 3 4 5 6 7 8 9 10 cm copyright reserved

MISSOURI BOTANICAL GARDEN

10129 MISSOURI BOTANICAL GARDEN GEORGE ENGELMANN PAPERS MISSOURI BOTANICAL copyright reserved cm GARDEN

Artinoraspus R. Brown 10. Alisma den Baldellia Parlaton 1854 (Veg Am. VI. p.5) A sammelorides Damasonium Mill. Juss. Adl. Gmel. Juss. Pers. " Damasonium Schrob, Spreng. gones Echinodorus Richal. Sembert i J. By logelow in Jung Manual Lophiocospus Kunth. Scalent. Subgener Mei men Sagittaria din avantho oarpum (A) Ferd. Muller. Nov Holl. aculifolia (S) Linfil [Hth. III.160] Surinam

Willd-16. " " 159 Brasili = Selloviam Htth

Park. " 160. - Purski Kth affinis (S) Seubert Flor Bonsil Fur. 7-9 pag.... Alisma (2) Mill. = 8. stellatum. alis me folcie (S) Thilippi Mess. Waldivia Sibina [HH.II. 160. alpina (I) Willer Anrile (Al) Mart. Brasil.

0 1 2 3 4 5 6 7 8 9 10

Copyright reserved

GARDEN

MISSOURI
BOTANICAL
GARDEN

Andricuxii (A) Hook & Am. Bot. Beech 311 Mexico anguistifolier (S) Lind. Bot. reg. Ind. overd. [Kth III. 159]
Sent. fl. Bring angustifolium (Al) Hopp. a A. Plantago var. angustissimum (till that = A. ranunrulordes pre Stendel aguatira (S) Lam = = Sagithifolia aphyllum (Al.) Hamill. Waller. Ind occ. arcuatum (Ab) Michalet = A. Plantago var arifolia (S) Mittall - H. Phit. Oregon australe (Dam Salist. Art. Spr.) = minor. Nov. Holl. dentifolded to find the the los in minus Berterie (Al) Spr. Syst. Guadeloupe Bertersanum (M) Balbis an. Nound Schall. Graddelong
macrophylle Ath por var winor fide Scubert Essettatus ille. Blumei (S) Kuith III. 158 = S. posilla Blume Java Bourgaei (Dam). Comon Walp. Am 3,928 frisjanis brarteata (S) Will Herling Guajanensis Kth.


0 1 2 3 4 5 6 7 8 9 10

Copyright reserved

MISSOURI

BOTANICAL

GARDEN




MISSOURI BOTANICAL GARDEN GEURGE ENGELMANN PAPERS



Cumbrille 07/12/6 Tehndon parolo Bylen annus, stolenfung. contitos florfinis. Der Ballon sadralitas protificio petroli futifició referenti de mounis achanglarger 1.5 min log, 7 nobbers o donne, 2 mently or globas ventre - grovers belove to ribs cromobbed. Much Auburn, James, 1968 Ounterlany, Del. Dauby 1874. Deliverdoms tendlerad Brag (Alisma Mart) figure with Cons froth view and fit is a circle !) - Source species onle by R Sporme 1850, Santaren, Brusil. De Castern Pene, 1855-6 very sin to parvale, but, fity first every - no dereland steam seem of Though they say one . stem globase acheny smaller, not much work the 1 mm by, 7 ibles - like the above may be the same no frist, stames oblig livers! cross indritant



M'SSOURI BOTANICAL GARDEN GEORGE ENGELMANN PAPERS



Alio Janeiro.

= Alion floribund Soul. Brasiliens is (S) Mart. bulbosa (S) Don Hort Cantil 6.246 An. bor. 2? nigich.
Rainth. Californirum (S) Torrey Hartweg. 2015. Digelow ralophyllum (Al) Wallrich Sed. on. calycina (S) lagelon Missouri L'Texa Chilensis (S) Cham & Schl. Co. Gay Chinensis (S) Lims Bd. Mag. t. 1631 cordifalia (S) Roxb. Assam. · (S) Lam my ? cordifolium (Al) Lin (E) grisel. Ind. occ. Thung. Fr. Japan 153, 2 2 . Ose teronn, Kuth. Pristatum (A.) Wallish Ind. on. Damasonicum (Al Lin : Damasonicum stellatum - Millel = A. parnassiplième Doniann (S) Sweet Nepal Qubium (A) Will = A. parmassiplian

0 1 2 3 4 5 6 7 8 9 10

Copyright reserved

echinocarpa (S) Mart. Brisil = S. quayanensis HORR = (A) Sendent elliptirum (A) Mart : Roen & Schull. Busi enneandrum (A) Hochet, misshe Condofan Koluk 192 ephemerum (A) Sprune nimsohed Brasil Europaeum pet spr. - Damasoniam stollaturg. faloata [] Punh, Jeorgis = lancifolis flavum (A. Lin = Limnochanis Plenaieri And, ovord. La Shuby ? A. Thurs? floribundum (A) Seubert. Smil = S. Odnstliens is Mert. Jegen (A) Torrey i Nir Rep. gigantea/S/ Janhur ms. i. A. Bris gravilis / S Panh = L. variabilis var. graminea of Mich Canada See. Carl. gramineum (A) June. - N. Mentago var. graminifolium (A) Photo " A Plantago va. grand florum (A) Chan & Schlecht. = A. maon phylleen kty Guianens is HABA z echiñorager Mart, Sannan


0 1 2 3 4 5 6 7 8 9 10

Copyright reserved


MISSOURI

BOTANICAL

GARDEN



MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS



Hamiltonianum (A) Wellich. Nepl - A. Stellatur, Har ist hb. hastata folg Park - Avaniabilis var. _____ (S) Don Flethep. 22 = S. Doniana Sweet. Repul heterophylla (S) Punh. An 19pt. S/ Schnb - S. Sagithifoleig var. heterophyllan Bestim herb = incressate Steed now?
hirundinarea & Blume Course 1.34 Batavir Chili) humile (A.) Runth III p. 154 Semzambia incressata (S) Stend, nom. Chili = S. heterophylla Bert, her. jutermedium (A) Mart is Roem & Sch. Brusil Motschye A Hochst. No schw. Cordofan Kotaly 169 adagistana? laureolate (S, Hale Ms = granine lannolatur (A) Hof- With, = A Plantago van lancifolie [S/ Li Mich Am bon. Fad over. Seni. Kurth IV. 162 Alisa Hamilt Lappula (el) Ham flood 1.22 Patifolia (5) Urilli = D. vanabilis on Loe selis (A) lika. 19th III. p. 1/19 = A. Mantigo var

0 1 2 3 4 5 6 7 8 9 10

Copyright reserved

Compiloba (S) Cagelus mess Loppin carpus Hunth Satisfiet Lulgenier Alisas. Sounge in Men. Petersb. 2.1.

(S) Juor. Art. And. Mour Mexico = Mexicana gran.

Accordifati Li - parte

Mum (A) Kunth II. 151 = Shinodors cordifating Grieb.

Brasil (= A. gund: flore Changelel. & Martiana (S) Seul. Brusil Mexicana (S) Stendel nom. - Macrophylla Jucit Jung. - (S) Engelen MM Michanzianal S) Engellen = graminea MX minor (5) Mill = S. sagittifolici ____ (Art) ABr. Nov Holl = S. austrile minus (A) Spr. - Motor. Minor. 28 authole monoira (S) gilib a S. Segittible file Ledeb. Montevidensis (M) Chan. & Johl. Buenos Ayres municatus (E) Grieb. (i hl.?) nataus (et) Lin Lungea - (S) Mich Am. bor.

(S) Palles = S. alpina Will Libisin nath purense (A) Stend, rom = And. or.


0 1 2 3 4 5 6 7 8 9 10

Copyright reserved


MISSOURI

BOTANICAL

GARDEN



MISSOURI BOTANICAL GARDEN GEORGE ENGELMANN PAPERS



nymphærefolia (S. Hochst in sched Condofen. Madden S. Doj. Madrgessan - 146 Hook Roja obtusals Muhling. Arillo. :- S. vaniabilis var. _____(S) Thumb. Sapan - oblies, folleg obbusissing WI Hark, Dry, Am. 1.769 Ind. oligotocrum (A) Ford, Mall. Nov. Holl ovata (I) Redon't Brd. oct = ovata (I) Redon't Diliver, t. 411 Laurifole; ! palaefolia (5) Nees & Mart. Neovid. p. 21 Amil (A) Kuth #.62 parnessifolium (A) Li Curopa parviflorum (A) Farsh. Am Sept = A. Plantago van. parvulus (Ch) lagelm. A. Louis Mantago (A) Lin Europ. As. Am. bor. polyspermum D. Conson Well Am 3. 506 Hispon publiseus (S) Muhlenb. = L. variabilis vm. - (A) Mast -: A& Schall. Brusil. 2 S. Clemeni Seub. Turshii / S/ Month III. 160. = accitifolici Park rondings = L. natau, van. pusilla (5) Muttgen 2.213 bon. S) Blume Imm. I.34 - S. Odlumes Kurth

0 1 2 3 4 5 6 7 8 9 10

Copyright reserved

GARDEN

MISSOURI
BOTANICAL
GARDEN

radicans (S) Mutt. (C.) Engle) S. West en States rammrulordes (et) Lin Caropa - (A) Will prod = A. Natary

A, All, Bed & Norr. Mantago van five Ball.

revernor frip. (A) var Brisili ana A. d. D. Hit. = A lenellum

reniforme (A) Don Prod. H. Repl. repens (A) laur = et. ranunruloides var. - (A) Cav. i'r is the Jame - (A) Thuill. = A. natan, Showbifolie (S) Ohom & Schlin Brusil in Linnea 10, 219 rigida (S) Turk = S. heterophylla van roseum (A) Raf. Am Sept = A Plantingo rostratum (A) Mitt. (Ech) light Am. bon. sagittata (S, Thenb. Japan: (S. sagittifoleis L?) sagittifolici (S) Sin Curran.

(S) Auct fl. Amer - S. variabilis lagel

(S) Flow Fluin - A. macrophyllam. Hith

(S) Lour. - S. chikensis Jagitti folium (A) Willd. Spertt. 27/ Geritea 2 Sigitaria ? monoida! Sellowiann (S) Kunth III. 159 Sombert. abani/

MISSOURI BOTANICAL copyright reserved cm GARDEN

Soubertiana MS/ Mart. Brusis.

simplex (S) Sunh plants factitia! (S) Pen = S. oblisa Sinensi's (I) Ken = S. chinensij Springelii' (A) Kuth A. 154 = A. Dertervanen ? stellatum of I Dalechang. Rich. S. Comop. Orion. Tolonifern (S) Engle & Gray Texas: A. Ham: Chonianum Well.

subalatum (A) Mart in A & Schull. Brasil & van. intermedien Leeb. sub vordatum ASI Naf = A Mantago subulatum (A) Blan = S. aoutifolis Park five Mutt (A) Park = S. pusilla Mit. (E) Erl : Gry Man ad I. = E. parvelos & S. pusilla mix a Tenellum (A) Mart if. Brusit ined. Rosen & Schult.
Signt. veg. 1830.000 VII
1600. Frachysepala (I light ms. formely bellesse triandra (S) Salzell (Walp. Am 3.50h Zal'a trifolin (S) Lui G. 1410: S. Chikeusii? Mant III 15% trinerve (A) Link Lusilania triviale (A) Plurch = A. Plantings -! ratophyllum

0 1 2 3 4 5 6 7 8 9 10

Copyright reserved

MISSOURI

BOTANICAL

GARDEN

variabilis (S) Lyden in Juny Mande Am bor = S. sagittifoli, obtes a, hatte gravilis, publisseur, latifolis. virgata (S) Hook & Ann. wil Am 149 hours??? virgatum (A) Hook & An. Bot. Beech, 311 Mexico S. sagistifole fide dedebour. vulgani (S) Jiels I SUTANICAL GARDEN GEORGE ENGELMANN PAPERS

